



**Hertfordshire and
West Essex**
Integrated Care Board

NHS Herts and West Essex

Integrated Care Board (ICB)

Tongue Tie

July 2022 V1.0

Version Number	V1.0
Approved By	NHS Hertfordshire & West Essex Integrated Care Board.
Date Approved	1st July 2022
Responsible Director	Medical Director
Directorate	Clinical
Staff Audience	HWE EBI and IFR Team, Primary and Secondary Care Clinicians, Provider Clinical Funding Teams
Publication Date	1st July 2022
Review Date	1st July 2024
Description	Policy for local Evidence Based Interventions procedure
Superseded Documents (if applicable)	Herts & BLMK Priorities Forum guidance on Division of Ankyloglossia (Tongue Tie)

Document Owner: Medical Directorate	Prepared by: Associate Medical Director for Planned Care and Prioritisation	First Published: 1 st July 2022
Document number:	Approval date: 1 st July 2022	Version number: 1.0
Status: Approved	Next review date: 1 st July 2024	

Document Control

Version	Page	Details of amendment	Author

Document Owner: Medical Directorate	Prepared by: Associate Medical Director for Planned Care and Prioritisation	First Published: 1 st July 2022
Document number:	Approval date: 1 st July 2022	Version number: 1.0
Status: Approved	Next review date: 1 st July 2024	

The policy should include a contents page, as set out below, and be structured around all of the headings shown (although not necessarily in the same order)

CONTENTS

Section		Page
1.	Content The key points of the policy should be written in a clear, concise manner, so as to be easily understood and correctly interpreted	4
2.	Background	4 & 5
3.	References	5 & 6

Appendices:

Each appendix will be numbered to follow on from the policy document.

Document Owner: Medical Directorate	Prepared by: Associate Medical Director for Planned Care and Prioritisation	First Published: 1 st July 2022
Document number:	Approval date: 1 st July 2022	Version number: 1.0
Status: Approved	Next review date: 1 st July 2024	

Policy: Division of Ankyloglossia (Tongue Tie) for breast feeding infants and older children/adults.

Condition and Intervention

Ankyloglossia, also known as tongue-tie, is a congenital anomaly characterised by an abnormally short lingual frenulum which may restrict mobility of the tongue. It varies from mild to severe, but can result in breastfeeding difficulties, maternal nipple pain and failure to thrive. There is also some concern that it may be associated with speech difficulties in older children and adults.

Input from a specialist in breastfeeding (e.g. midwife or health visitor) may be able to support the mother to successfully breast feed her infant with tongue-tie. Some practitioners, however, believe that if a baby with tongue-tie has difficulty breastfeeding, surgical division of the lingual frenulum should be carried out as early as possible.

In early infancy, division of the tongue-tie, known as frenotomy, is usually performed without anaesthesia. The frenulum is cut using sharp, blunt-ended scissors. After the early months of life, general anaesthesia is usually required. Current evidence suggests that there are no major safety concerns.

Recommendation:

For infants with feeding problems:

Division of the frenulum should only be conducted:

1. When under 3 months of age, AND
2. Where there are perceived breastfeeding difficulties, AND
3. Where the parent and child have received a face-to-face feeding assessment by a trained health visitor or midwife with specialist expertise in breastfeeding AND
4. Where the feeding assessment demonstrates that a notable degree of tongue tie exists and is impacting on the ability to effectively feed AND
5. As an outpatient procedure.

An Individual funding request should be made for infants outside of these criteria or if requesting day-case or inpatient surgery.

For older children or adults with speech problems:

Surgery should only be considered for management of speech problems in adults or children with speech problems when:

1. The child is at least 5 years of age.

Document Owner: Medical Directorate	Prepared by: Associate Medical Director for Planned Care and Prioritisation	First Published: 1 st July 2022
Document number:	Approval date: 1 st July 2022	Version number: 1.0
Status: Approved	Next review date: 1 st July 2024	

2. Speech is significantly and noticeably affected.
3. The speech sounds affected are consistent with tongue tie.
4. A Speech and Language Therapist has assessed the patient, and states that:
 - a. the speech problem is highly likely to be due to the tongue tie
 - b. the child is unlikely to grow out of the speech problem
 - c. conservative management eg speech therapy is unlikely to be successful
5. Other causes of speech abnormalities have been ruled out, for example audiological assessment and an assessment for a sub-mucous cleft.

An Individual funding request should be made for children and adults outside of these criteria.

Rationale

Surgery for infants with feeding problems:

The National Institute for Health and Clinical Excellence (NICE) Interventional Procedure Guidance reports current evidence suggests that there are no major safety concerns about division of ankyloglossia (tongue-tie) and limited evidence suggests that this procedure can improve breastfeeding. This evidence is adequate to support the use of the procedure.

More recent studies published since this guidance also show improved outcomes in infants with tongue tie who have had the procedure.

Surgery for older children and adults where there are concerns regarding the speech

There has long been a common belief that if the tongue tip cannot move well due to ankyloglossia, it must affect speech. However there are few articles in the literature that address the effects of tongue-tie on speech. Despite these reports and the lack of evidence, many professionals still believe that ankyloglossia is a common cause of speech problems.

In evaluating the effect of ankyloglossia on speech, it is important to focus on lingual-alveolar sounds (particularly /l/) and interdental sounds (voiced and voiceless /th/). Tongue-tie could be considered a contributing factor if the child cannot produce these sounds. Tongue tie may also be a bigger problem if there is also oral-motor dysfunction.

It should be recognised that both ankyloglossia and speech problems commonly occur in children. Therefore it is not surprising that these conditions often occur together. However, there is some evidence that surgical intervention can improve speech in patients with ankyloglossia.

References:

1. Ann W Kummer. (2005) Ankyloglossia: To Clip or Not to Clip? That's the Question. The ASHA Leader, Vol. 10, 6-30
2. National Institute for Health and Clinical Excellence. (2005) Interventional Procedure Guidance 149: Division of ankyloglossia (tongue-tie) for breastfeeding

Document Owner: Medical Directorate	Prepared by: Associate Medical Director for Planned Care and Prioritisation	First Published: 1 st July 2022
Document number:	Approval date: 1 st July 2022	Version number: 1.0
Status: Approved	Next review date: 1 st July 2024	

3. O'Shea JE et al. (2017) Frenotomy for tongue-tie in newborn infants. Cochrane Database of Systematic Reviews
4. S Chinnadurai et al. (2015). Treatment of Ankyloglossia for Reasons Other Than Breastfeeding: A Systematic Review, Pediatrics, Volume 135.
5. Visconti A et al. (2021) A systematic review: The effects of frenotomy on breastfeeding and speech in children with ankyloglossia. Int J Speech Lang Pathol.

Glossary:

Lingual frenulum	A small fold of tissue that reaches from the floor of the mouth to the underside of the tongue.
Tongue tie	When the frenulum linguae is shorter (and may be thicker) than normal preventing normal movement of the tongue.
Ankyloglossia	Tongue tie
Congenital anomaly	An abnormality in anatomy present at birth.
Frenotomy	A simple splitting (cutting) of the frenulum.
Frenuloplasty	A more complex procedure to release the tongue from the floor of the mouth, usually closed with stitches and performed under general anaesthetic.
Frenulotomy	A surgical procedure for excising the frenulum.

Clinical coding:

OPCS codes: F262-268

Patients who are not eligible for treatment under this policy may be considered on an individual basis where their GP or consultant believes exceptional circumstances exist that warrant deviation from the rule of this policy. Individual cases will be reviewed as per the ICB policy.

Document Owner: Medical Directorate	Prepared by: Associate Medical Director for Planned Care and Prioritisation	First Published: 1 st July 2022
Document number:	Approval date: 1 st July 2022	Version number: 1.0
Status: Approved	Next review date: 1 st July 2024	

Document Owner: Medical Directorate	Prepared by: Associate Medical Director for Planned Care and Prioritisation	First Published: 1 st July 2022
Document number:	Approval date: 1 st July 2022	Version number: 1.0
Status: Approved	Next review date: 1 st July 2024	